

RECEIVED

AUG 13 2003

PATENT
Docket No. 219002028310



TECH CENTER 1625/1625

CERTIFICATE OF MAILING BY "FIRST CLASS MAIL"

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Non-Fee Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on August 4, 2003.

Tami M. Procopio
Tami M. Procopio

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the application of:

Babu J. MAVUNKEL, *et al.*

Serial No.: 10/076,131

Filing Date: 13 February 2002

For: COMPOUNDS AND METHODS TO
TREAT CARDIAC FAILURE AND
OTHER DISORDERS

Examiner: Celia C. Chang

Group Art Unit: 1625

#7/B
[Signature]
8/18/03

AMENDMENT UNDER 37 C.F.R. § 1.111

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

This is in response to an Office Action herein, mailed 4 April 2003, time for response to which was set to expire 4 July 2003. A petition for an extension of time of one (1) month until 4 August 2003 is attached hereto, along with the required fee. The pending claims, claims 39-78, were rejected. Careful consideration has been given to the grounds for rejection, and the following amendment and discussion are offered in response. Reconsideration is respectfully requested.

Introductory Comments

In reviewing the file in connection with the above-referenced application, it is noticed that the specification for the application Serial No. 09/128,137 filed 3 August 1998 and now U.S. patent 6,130,235 was mistakenly filed rather than the application of which the present case is a divisional – U.S. application No. 09/316,761 filed 21 May 1999. The contents of the intended specification were incorporated by reference with the Preliminary Amendment. Accordingly, filed herewith is a substitute specification which is an exact copy of U.S. application Serial No. 09/316,761. It is believed that this clarifies that the present claims are fully supported by the specification of the application of which it is a divisional. Applicants apologize for the confusion generated by the filing of an incorrect specification.